

Notice for use

Thank you for choosing No-Match! In order to use this device correctly please ensure you read all the instructions contained in this Manual before use or charging. For more information you can visit our website www.no-match.co.uk or contact one of your local No-Match stores.



01

Kit Contents

01.



Battery

02.




Atomiser/Tank

03.



USB Cable

04.



User Manual

05.



Spare Coil

06.



LiPo Bag
(provided separately)


★ USB Cable in package.

02

Product Introduction


Product introduction/function

Vaping Button



Drip Tip

Tube Body



Coil


Adjustable Air Flow Control




03

Product Assembly


- Unscrew the bottom



- Connect the atomiser



- Fill with e-liquid (avoid centre hole)
Filling aperature ~2.5mm



- Press button to vape



04

- Screw back together



03.

Operation (a)

How to Charge

**Place in LiPo Bag
whilst charging**

01.



Charge via the No-Match USB Adapter
(Available separately)



Charge the battery via USB port.

05



Operation (b)

- You can start vaping once charging is complete. Press and hold the vaping button whilst you inhale.

02.



06

Operation (c)

■ Operating Instructions

- **On/Off:** Press the vaping button 5 times within 2 seconds to turn on/off device. The indication light will flash 3 times. The light will illuminate blue (voltage $\geq 3.8\text{v}$), Purple (Voltage $3.5\text{v} - 3.8\text{v}$) or red (Voltage $< 3.5\text{v}$)
- **Vaping:** Press the vaping button and vape. Whilst vaping, the indication light will illuminate. The light will illuminate blue (voltage $\geq 3.8\text{v}$), Purple (Voltage $3.5\text{v} - 3.8\text{v}$) or red (Voltage $< 3.5\text{v}$) Release the button and the indicator lights will turn off.
- **Short circuit protection:** If a short circuit occurs, when you press the vaping button the blue/purple/red lights will alternately flash 3 times in sequence.
- **Vaping time protection:** If the vaping button is pressed for longer than 10 seconds the red light will flash 8 times and will automatically cut off the power

Operation (d)

output.

- **Low voltage:** If the voltage gets lower than 3.3v the red light will flash 15 times and will automatically cut off the power output.
- **Over-charging protection:** When the battery voltage reaches 4.25v the device will stop charging.
- **Charging indication:** Connect the ATOM battery to a No-Match 5V 1A charger or a suitable computer USB port and the power status will show:
Red light - The voltage is less than 3.5v
Purple light - The voltage is between 3.5v & 3.8v
Blue light - Voltage is over 3.8v
All lights off - Fully charged (or not connected to charger)

Components Performance A

■ Tank/Atomiser

- **Resistance:** 0.6 Ω , 1.0 Ω (spare included coil) (0.3 Ω available separately)
- **Capacity:** <2.0ml
- **Construction:** 100% USA made Kanthal wire, 304 stainless steel + Borosilicate glass, 100% Organic Cotton.

■ Battery

- **Output power:** 50W Max
- **Supported coil resistance range:** 0.3 Ω ~ 3.0 Ω (Please note some atomisers may require more power even if they fall within this range. Please check your manufacturers instructions)

Components Performance B

- **Indicating lights:** Blue, Red & Purple
- **Battery type:** Built in 18650 battery - more than 20A discharge.
- **Charging instructions:** Charge inside LiPo Charging Bag and use a No-Match Mains-USB 5V 1A charger (not supplied) or a suitable computer USB port.
- **Size:** 32 * 23 * 130 mm
- **Charging Time:** Up to 4 hours (DO NOT CHARGE FOR MORE THAN 4 HOURS)

Warning A



- On first use, or after replacing the coil, please keep the tank standing for at least 2 minutes after filling with e-liquid. This will let the coil soak up the liquid. Failure to do this can burn the coil out quicker, and/or produce a burning taste.
- Keep the charger and battery away from fire and high temperature at all times.
- Only use a No-Match Mains-USB charger or a suitable computer USB port to charge.
- Never expose a battery to water.
- If liquid leaks from the atomiser you should wash your hands immediately and do not touch eyes.

Warning B

- Whilst not in use, please put the device where children can't reach. This device is not intended to treat, mitigate, prevent or cure any disease or condition and is not for use as a smoking cessation device.
- Only for use with a No-Match Charger. Use of unauthorised chargers may lead to overheating and possible burning. No-Match is not responsible for battery and charger explosions, fires or malfunctions due to the use of low quality chargers. This product does not come with a wall charger included. (available from No-Match separately) Please do not use with a car charger, or adapter.
- Do not leave the battery depleted for a long time otherwise the battery capacity may be decreased.
- Do not leave this device unattended whilst charging.
- If the device is found to be excessively hot when charging or in use, you should

Warning C

cut off the power immediately, discontinue use and contact your supplier for further help.

- As this device has an internal lithium battery the lifespan will be limited.
- Do not pierce the battery in any way.
- Do not drop, strike or subject a battery to strong impact or shock.
- Do not attempt to modify or dismantle the battery in any way.
- Do not use the battery if there is any sign of damage.
- Do not overtighten the battery to the atomiser.
- Do not use a charger with frayed or damaged wires.


Warning D

- Always charge the battery inside a LiPo Safe Charging Bag.
- Remove battery from charge as soon as charging is complete.
- Always charge on a fire retardant surface.
- Never charge for more than 4 hours.
- Never leave to charge overnight.
- Do not keep in a pocket, handbag or similar with loose change or keys.

No-Match can not be held responsible for any damage caused by misuse, mishandling or any damage caused by not using the LiPo Safe Charging Bag.



RoHS
Compliant



ATOM

User Manual

Available Colours




BLACK



SILVER



15



16